

	Application No.	Applicant(s)
Notice of Allowability	09/914,248 Examiner	MAGNUSSON, GUNNAR Art Unit
	Lamine	Art onit
	Mark W Bockelman	3762
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment 8-16-2004, interview 3-16-2005</u> .		
2. The allowed claim(s) is/are <u>14-26</u> .		
3. The drawings filed on 24 August 2001 are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority una)  All b)  Some* c)  None of the: <ol> <li>Certified copies of the priority documents have</li> <li>Certified copies of the priority documents have</li> <li>Copies of the certified copies of the priority documents have</li> <li>Copies of the certified copies of the priority documents have</li> <li>Copies of the certified copies of the priority documents have</li> <li>Certified copies of the certified copies of the priority documents have</li> <li>* Certified copies not received:</li> </ol> </li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> </ul>	been received. been received in Application Nocuments have been received in this communication to file a reply	national stage application from the
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. $\square$ CORRECTED DRAWINGS ( as "replacement sheets") must	st be submitted.	
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	6. ⊠ Interview Summary Paper No./Mail Dat	è <u>3-16-2005</u> .
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme 9. □ Other	ant of Reasons for Allowance

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Steve Knoll on 3-16-2004.

The application has been amended as follows:

In the claims:

## In claim 14:

at line 1, before housing,

--biocompatible -- has been inserted

at line 16, after "to said second wall",

and substantially opposing circumferential wall portions between said curved first and second wall sections-- has been inserted at line 23, after "wall section",

-- and a spacing between the first wall and second wall being less than a spacing between said substantially opposing wall portions of the circumferential third wall -- has been inserted

Application/Control Number: 09/914,248 Page 3

Art Unit: 3762

The following is an examiner's statement of reasons for allowance: The examiner's amendment above is to better to define the walls of the housing, specifically, the substantially opposing wall portions 13" have spacing between them then that is greater along the wall portions than the spacing between the walls 11" and 12" in applicant's figure 5. The prior art of record does not teach such a housing arrangement or the property of field strength variance during use.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark W Bockelman whose telephone number is (571) 272-4941. The examiner can normally be reached on Monday - Friday 8:00 to 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on (571) 272 -4955. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/914,248

Art Unit: 3762

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

**MWB** 

March 16, 2005